Prepared For:
Nick Cinquelpalmi
City of North Royalton
Ohio

Prepared By:
Jenny Loveland
Valley Ford Truck Inc.
5715 Canal Rd.
Cleveland, Ohio, 44125
Phone: 800-533-2400
Fax: 216-520-0486

CONTRACT NUMBER: RS 901513

INDEX#: GDC 093E

Selected Options

2013 Ford F-250

4x4 SD Regular Cab 8' box 137" WB SRW XL (F2B)

Vehicle Snapshot

Engine: 6.7L 4 Valve Power Stroke Diesel V8 (B20)
Transmission: TorqShift 6-Speed Auto w/OD (6.7L)
Rear Axle Ratio: Electronic Locking w/3.55
GVWR: 10,000 lb Payload Package

Code	Description
F2B	**Base Vehicle Price (F2B)**
Packages	
600A	**Order Code 600A** *(996) Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel; (44P) Transmission: TorqShift 6-Speed Automatic O/D : Includes SelectShift.; (X37) 3.73 Axle Ratio; (STDGV) GVWR: 10,000 lb Payload Package; (TBK) Tires: LT245/75Rx17E BSW A/S (5); (64A) Wheels: 17" Argent Painted Steel : Includes painted hub covers/center ornaments.; (A) Heavy Duty Vinyl 40/20/40 Split Bench Seat : Includes center armrest, cupholder and storage.; (587) Radio: AM/FM Stereo w/Digital Clock : Includes 2-speakers.*
Powertrain	
99T	**Engine: 6.7L 4 Valve Power Stroke Diesel V8 (B20)** *Dual 78-AH 750 CCA Batteries; 26 Gallon Fuel Tank; (X31) 3.31 Axle Ratio. . Torque: 800 ft.lbs. @ 1600 rpm.*
44W	**Transmission: TorqShift 6-Speed Auto w/OD (6.7L)** *Includes SelectShift.*
X3J	**Electronic Locking w/3.55 Axle Ratio**
STDGV	**GVWR: 10,000 lb Payload Package**
Wheels & Tires	
TBK	**Tires: LT245/75Rx17E BSW A/S (5)**
64A	**Wheels: 17" Argent Painted Steel** *Includes painted hub covers/center ornaments.*
Seats & Seat Trim	
A	**Heavy Duty Vinyl 40/20/40 Split Bench Seat**

Government priced with bid assistance.

Base price	$ 20,430.00
4x4	$ 4,464.00
Diesel engine	$ 8,700.00
Plow prep	$ 184.00
Block heater	$ 176.00
Upfitter sw	$ 645.00
Electric Brake	$ 275.00
Subtotal	$ 34,874.00
Total x 2 unit	**$ 69,748.00**

TWO TRUCKS

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05208422 6/1/2013

Code	Description
	Includes center armrest, cupholder and storage.

Other Options

137WB	**137" Wheelbase**
473	**Snow Plow Prep Package** *(67D) Extra Heavy-Duty 200-Amp Alternator. Includes computer selected springs for snowplow application. NOTE: Restrictions apply; see Supplemental Reference or Body Builders Layout Book for details.*
41H	**Engine Block Heater** *Standard in Alaska, Colorado, Iowa, Idaho, Maine, Michigan, Minnesota, Montana, North Dakota, New Hampshire, New York, South Dakota, Vermont, Wisconsin and Wyoming.*
67D	**Extra Heavy-Duty 200-Amp Alternator**
52B	**Trailer Brake Controller** *Compatible with select electric over hydraulic brakes.*
PAINT	**Monotone Paint Application**
66S	**Upfitter Switches (4)** *Located on instrument panel.*
587	**Radio: AM/FM Stereo w/Digital Clock** *Includes 2-speakers.*

Interior Colors For : Primary w/XL (Reg)

AS	**Steel**

Primary Colors For : Primary w/XL (Reg)

N1	**Blue Jeans Metallic**

Vehicle Subtotal

Destination

Vehicle Subtotal (including Destination)

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information
Reference CT05208422 6/1/2013

Prepared For:
Nick Cinquelpalmi
City of North Royalton
Ohio

Prepared By:
Jenny Loveland
Valley Ford Truck Inc.
5715 Canal Rd.
Cleveland, Ohio, 44125
Phone: 800-533-2400
Fax: 216-520-0486

Vehicle Profile

2013 Ford F-250

4x4 SD Regular Cab 8' box 137" WB SRW XL (F2B)

Powertrain
Powerstroke 6.7L V-8 OHV direct diesel injection 32 valve intercooled turbo diesel engine * 200 amp HD alternator * 750 amp (total) 78 amp hours (Ah) (total) battery dual batteries with run down protection * Engine block heater * 6-speed electronic SelectShift automatic transmission with overdrive, lock-up, driver selection * Part-time four-wheel drive with manual transfer case shift, manual locking hubs * ABS & driveline traction control * 3.55 axle ratio * Stainless steel exhaust

Steering and Suspension
Hydraulic power-assist re-circulating ball steering * 4-wheel disc brakes with front and rear vented discs * Firm ride suspension, with AdvanceTrac w/Roll Stability Control electronic stability stability control with anti-roll * Mono-beam non-independent front suspension * Front anti-roll bar * HD front coil springs * HD front shocks * Rigid rear axle * Rear leaf suspension * HD rear leaf springs * HD rear shocks * Front and rear 17.0" x 7.50" argent steel wheels with hub covers * LT245/75SR17.0 BSW AS front and rear tires * Underbody w/crankdown mounted full-size steel spare wheel

Safety
4-wheel anti-lock braking system * Center high mounted stop light * Dual airbags, passenger side front-impact cancellable airbag, seat mounted driver and passenger side-impact airbags, curtain 1st row overhead airbag * Front height adjustable seatbelts * SecuriLock immobilizer

Comfort and Convenience
Air conditioning * AM/FM stereo, clock, seek-scan, 2 speakers, fixed antenna * Manual tailgate/rear door lock * 2 12V DC power outlets * Analog instrumentation display includes tachometer, engine temperature gauge, turbo/supercharger boost gauge, transmission fluid temp gauge, engine hour meter, exterior temp, systems monitor, trip odometer * Warning indicators include oil pressure, engine temperature, battery, lights on, key, low fuel, door ajar, service interval, brake fluid, low tire pressure * Steering wheel with tilt and telescopic adjustment * Manual front windows with light tint * Variable intermittent front windshield wipers * Passenger side vanity mirror * Day-night rearview mirror * Interior lights include dome light with fade, front reading lights * Glove box, front cupholder, instrument panel bin, dashboard storage * Upfitter switches

Seating and Interior
Seating capacity of 3 * 40-20-40 split-bench front seat with adjustable head restraints, center armrest with storage * 4-way adjustable driver seat includes lumbar support * 4-way adjustable passenger seat * Vinyl faced front seats with vinyl back material * Full cloth headliner, full vinyl/rubber floor covering, urethane gear shift knob, chrome interior accents

Exterior Features
Side impact beams, front license plate bracket, fully galvanized steel body material * Black side window moldings, black front windshield molding * Black door handles * Black grille * 2 doors with tailgate rear cargo door * Class V

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.
Reference CT05208422 6/1/2013

Exterior Features (Continued)

trailering, trailer harness, trailer hitch, brake controller, trailer sway control * Driver and passenger manual black folding manual extendable trailer outside mirrors * Front and rear black bumpers, with front tow hooks rear step * Aero-composite halogen headlamps * Additional exterior lights include pickup cargo box light, underhood light * Clearcoat monotone paint * Snow plow provision

Warranty

Basic	36 month/36,000 miles	Powertrain	60 month/60,000 miles
Corrosion Perforation	60 month/unlimited mileage	Roadside Assistance	60 month/60,000 miles
Diesel Engine	60 month/100,000 miles		

Dimensions and Capacities

Output	400 hp @ 2,800 rpm	Torque	800 lb.-ft. @ 1,600 rpm
1st gear ratio	3.974	2nd gear ratio	2.318
3rd gear ratio	1.516	4th gear ratio	1.149
5th gear ratio	0.858	6th gear ratio	0.674
Reverse gear ratio	3.128	Curb weight	7,005 lbs.
GVWR	10,000 lbs.	Front	6,000 lbs.
Rear GAWR	6,100 lbs.	Payload	3,080 lbs.
Front curb weight	4,310 lbs.	Rear curb weight	2,705 lbs.
Front axle capacity	6,000 lbs.	Rear axle capacity	6,200 lbs.
Front spring rating	6,000 lbs.	Rear spring rating	6,100 lbs.
Front tire/wheel capacity	6,390 lbs.	Rear tire/wheel capacity	6,390 lbs.
Towing capacity	12,500 lbs.	5th-wheel towing capacity	16,400 lbs.
Front legroom	41.1 "	Front headroom	40.7 "
Front hiproom	67.6 "	Front shoulder room	68.0 "
Passenger area volume	65.9 cu.ft.	Length	227.6 "
Body width	79.9 "	Body height	79.2 "
Wheelbase	137.0 "	Cab to axle	56.3 "
Front tread	68.3 "	Rear tread	67.2 "
Turning radius	23.1 '	Fuel tank	26.0 gal.
Exterior cargo length	98.0 "	Exterior cargo minimum width	50.9 "
Exterior cargo volume	77.3 cu.ft.	Exterior cargo pickup box depth	20.0 "
Exterior cargo maximum width	69.3 "		

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05208422 6/1/2013

Prepared For:
Nick Cinquelpalmi
City of North Royalton
Ohio

Prepared By:
Jenny Loveland
Valley Ford Truck Inc.
5715 Canal Rd.
Cleveland, Ohio, 44125
Phone: 800-533-2400
Fax: 216-520-0486

Dimensions & Capacities

2013 Ford F-250

4x4 SD Regular Cab 8' box 137" WB SRW XL (F2B)

Description	Value
Dimensions and Capacities	
Output	400 hp @ 2,800 rpm
Torque	800 lb.-ft. @ 1,600 rpm
1st gear ratio	3.974
2nd gear ratio	2.318
3rd gear ratio	1.516
4th gear ratio	1.149
5th gear ratio	0.858
6th gear ratio	0.674
Reverse gear ratio	3.128
Curb weight	7,005 lbs.
GVWR	10,000 lbs.
Front	6,000 lbs.
Rear GAWR	6,100 lbs.
Payload	3,080 lbs.
Front curb weight	4,310 lbs.
Rear curb weight	2,705 lbs.
Front axle capacity	6,000 lbs.
Rear axle capacity	6,200 lbs.
Front spring rating	6,000 lbs.
Rear spring rating	6,100 lbs.
Front tire/wheel capacity	6,390 lbs.
Rear tire/wheel capacity	6,390 lbs.
Towing capacity	12,500 lbs.
5th-wheel towing capacity	16,400 lbs.
Front legroom	41.1 "
Front headroom	40.7 "
Front hiproom	67.6 "
Front shoulder room	68.0 "
Passenger area volume	65.9 cu.ft.
Length	227.6 "
Body width	79.9 "
Body height	79.2 "
Wheelbase	137.0 "
Cab to axle	56.3 "
Front tread	68.3 "

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.
Reference CT05208422 6/1/2013

Description	Value
Dimensions and Capacities	
Rear tread	67.2 "
Turning radius	23.1 '
Fuel tank	26.0 gal.
Exterior cargo length	98.0 "
Exterior cargo minimum width	50.9 "
Exterior cargo volume	77.3 cu.ft.
Exterior cargo pickup box depth	20.0 "
Exterior cargo maximum width	69.3 "

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.
Reference CT05208422 6/1/2013

Prepared For:
Nick Cinquelpalmi
City of North Royalton
Ohio

Prepared By:
Jenny Loveland
Valley Ford Truck Inc.
5715 Canal Rd.
Cleveland, Ohio, 44125
Phone: 800-533-2400
Fax: 216-520-0486

Warranty

2013 Ford F-250

4x4 SD Regular Cab 8' box 137" WB SRW XL (F2B)

Description	Months/Distance
Basic	36 month/36,000 miles
Powertrain	60 month/60,000 miles
Corrosion Perforation	60 month/unlimited mileage
Roadside Assistance	60 month/60,000 miles
Diesel Engine	60 month/100,000 miles

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05208422 6/1/2013